## **CLAIM AMENDMENTS**

## 27-30 (Canceled)-1-30. (Canceled)

31. (New) A method for moving charged particles through a medium employing an electrical field, said method comprising:

providing a device comprising (a) a substrate having an upper surface, (b) a main trench in the substrate extending downward from the upper surface, and (c) a plurality of electrodes positioned at intervals, including at each terminus, along the trench such as to be in electrical contact with a medium when present in the trench, the plurality of electrodes being connected to an electronic computer programmed to activate electrodes to provide an electrical field profile along the trench to move charged particles;

placing a sample of the charged particles into the medium in the device; and applying a voltage from a voltage source across each adjacent pair of electrodes of a magnitude such that the electrical field generated across the plurality of electrodes is larger than that achieved in applying a voltage from the voltage source across the electrodes positioned at each terminus of the main trench.

- 32. (New) The method of claim 31, wherein said substrate is an organic polymer solid substrate.
- 33. (New) The method of claim 32, wherein said organic polymer solid substrate is polymethylmethacrylate, polycarbonate, polyethylene terephthalate, or polystyrene:
- 34. (New) The device of claim 32 wherein said organic polymer solid substrate has a substantially uncharged surface.
- 35. (New) The device of claim 31 wherein said main trench has capillary dimensions.
- 36. (New) The method of claim 31, wherein said intervals are between 1 and 100 microns in distance.
- 37. (New) The method of claim 31, wherein said intervals are regular intervals.

ACLARA ref. 009.09

-2-

USSN 10/016,483

TO: 917038729306

- The method of claim 31, wherein said plurality of electrodes are activated 38. (New) sequentially.
- A method for moving charged particles through a medium employing an 39. (New) electrical field, said method comprising:

providing a device comprising (a) a substrate having an upper surface, (b) a main trench in the substrate extending downward from the upper surface, (c) a plurality of branch trenches connected to said main trench for moving charged particles into and out of said main trench, and (d) a first plurality of electrodes positioned at intervals, including at each terminus, along the main trench and a second plurality of electrodes positioned at the termini of each branch trench such as to be in electrical contact with a medium when present in the trenches, the first and second plurality of electrodes being connected to an electronic computer programmed to activate electrodes to provide an electrical field profile along the trenches to move charged particles;

placing a sample of the charged particles into the medium in the device; and applying a voltage from a voltage source across each adjacent pair of electrodes along the main trench of a magnitude such that the electrical field generated across the first plurality of electrodes is larger than that achieved in applying a voltage from the voltage source across the electrodes positioned at each terminus of the main trench.

- The method of claim 39, wherein said substrate is an organic polymer solid 40. (New) substrate.
- The method of claim 40, wherein said organic polymer solid substrate is 41. (New) polymethylmethacrylate, polycarbonate, polyethylene terephthalate, or polystyrene.
- The device of claim 40, wherein said organic polymer solid substrate has a 42. (New) substantially uncharged surface.
- The device of claim 39, wherein said main trench has capillary dimensions. 43. (New)
- The method of claim 39, wherein said intervals are between 1 and 100 microns 44. (New) in distance.

ACLARA ref. 009.09

USSN 10/016,483

TO:917038729306

- The method of claim 39, wherein said intervals are regular intervals. 45. (New)
- The method of claim 39, wherein said plurality of electrodes are activated 46. (New) sequentially.

No new matter has been added by the amendments.

We request that the patentability of the claims as herein amended now be considered.

6502105959

If any additional time extensions are required, such time extensions are hereby requested. If any additional fees not submitted with this response are required, please take such fees from deposit account 50-2266.

Respectfully submitted,

Stephen C. Macevicz Reg. No. 30,285

Attorney for Applicants

Telephone: (650) 210-1223